

Presto Series 2 • DY-FI32D

Electric Fireplaces by Dynasty Fireplaces



Features

- Remote control for adjustable flame and heating operation
- LED flame operates with or without heat
- No ventilation required
- Simulated wood log cracking sound
- Zero clearance allows for flush mounting to drywall, tile, wood or other finishes
- Installed into interior wall, exterior wall, or corner
- Energy saving product
- Designed for replacing wood burning fireplaces

Specifications

Electrical

- Volts: 120V
- Amps: 15A
- Watts: 1500W (max)
- Wiring: 3-prong Plug Kit

Operating Cost (Est. 10 cents/kWh)

- Flame Only: 0.25 cents/hour
- 2,500BTUs: 7 cents/hour
- 5,200BTUs: 14 cents/hour


Heat Output

- BTUs: 5000
- Heating Area: 400 Sq.ft
- Remote Control incl.

Other Information

- Weight: 45 LBS
- Front Face: Glass
- Fuel Bed: Wood Logs
- Warranty: 2 years
- Certification: CSA

Dimensions




Framing

H: 23 1/4 in. (591 mm)

W: 30 1/4 in. (768 mm)

D: 8 in. (203 mm)



Remote Control included



Your authorized Dynasty Fireplaces dealer



All specifications are subject to change. Check all local and national building codes. Consult your owner's manual for complete installation instructions and accurate framing dimensions.

Website: dynastyfireplaces.com



Presto Series 2 • DY-FI35D

Electric Fireplaces by Dynasty Fireplaces



Features

- Remote control for adjustable flame and heating operation
- LED flame operates with or without heat
- No ventilation required
- Simulated wood log cracking sound
- Zero clearance allows for flush mounting to drywall, tile, wood or other finishes
- Installed into interior wall, exterior wall, or corner
- Energy saving product
- Designed for replacing wood burning fireplaces

Specifications

Electrical

- Volts: 120V
- Amps: 15A
- Watts: 1500W (max)
- Wiring: 3-prong Plug Kit

Operating Cost (Est. 10 cents/kWh)

- Flame Only: 0.25 cents/hour
- 2,500BTUs: 7 cents/hour
- 5,200BTUs: 14 cents/hour


Heat Output

- BTUs: 5000
- Heating Area: 400 Sq.ft
- Remote Control incl.

Other Information

- Weight: 45 LBS
- Front Face: Glass
- Fuel Bed: Wood Logs
- Warranty: 2 years
- Certification: CSA

Dimensions




Framing

H: 25 ¾ in. (654 mm)

W: 33 ¼ in. (845 mm)


D: 8 in. (203 mm)



Remote Control included



Your authorized Dynasty Fireplaces dealer



All specifications are subject to change. Check all local and national building codes. Consult your owner's manual for complete installation instructions and accurate framing dimensions.

Website: dynastyfireplaces.com



Presto Series 2 • DY-FI40D

Electric Fireplaces by Dynasty Fireplaces



Features

- Remote control for adjustable flame and heating operation
- LED flame operates with or without heat
- No ventilation required
- Simulated wood log cracking sound
- Zero clearance allows for flush mounting to drywall, tile, wood or other finishes
- Installed into interior wall, exterior wall, or corner
- Energy saving product
- Designed for replacing wood burning fireplaces

Specifications

Electrical

- Volts: 120V
- Amps: 15A
- Watts: 1500W (max)
- Wiring: 3-prong Plug Kit

Operating Cost (Est. 10 cents/kWh)

- Flame Only: 0.25 cents/hour
- 2,500BTUs: 7 cents/hour
- 5,200BTUs: 14 cents/hour


Heat Output

- BTUs: 5000
- Heating Area: 400 Sq.ft
- Remote Control incl.

Other Information

- Weight: 45 LBS
- Front Face: Glass
- Fuel Bed: Wood Logs
- Warranty: 2 years
- Certification: CSA

Dimensions




Framing

H: 30 ¾ in. (781 mm)

W: 37 ¼ in. (946 mm)


D: 9 in. (229 mm)



Remote Control included



Your authorized Dynasty Fireplaces dealer



All specifications are subject to change. Check all local and national building codes. Consult your owner's manual for complete installation instructions and accurate framing dimensions.

Website: dynastyfireplaces.com

