


Tempo 52" Electric Fireplace

Specifications Sheet & Framing Information



MODEL	Length	Height	Depth	Viewing Area	BTU	Cord Length
DY-FVX52	1312 mm	514 mm	165 mm	1230 mm x 381 mm	5000	2000 mm
	51 ⁵ / ₈ in.	20 ¹ / ₄ in.	6 ¹ / ₂ in.	48 ¹ / ₂ in. x 15 in.		72 in.



MODEL	A*	B	C*	D	E	F	G	H	I
DY-FVX52	1230 mm	1312 mm	1237 mm	381 mm	514 mm	480 mm	152 mm	165 mm	13 mm
	48 ¹ / ₂ in.	51 ⁵ / ₈ in.	48 ³ / ₄ in.	15 in.	20 ¹ / ₄ in.	19 in.	6 in.	6 ¹ / ₂ in.	¹ / ₂ in.

*A & C includes louver projections

Electrical Specifications


MODEL	Circuit	Max Power Consumption	Flame & Lighting	Standby	Outlet	Certification
DY-FVX52	15A, 120V / 60Hz	1500 W	50.4 W	2 W	- Standard (type B) - Hardwire ready	CSA

Tempo 52" Electric Fireplace


Specifications Sheet & Framing Information



CLEARANCES




Front View



Side View

Minimum Clearances to Combustibles	
Top	0"
Sides	0"
Back	0"
Bottom	0"
Front	36" / 0.9m

FRAMING



FRAMING DIMENSION		
X	Y	DEPTH
489 mm	1245 mm	152 mm
19 ¼ in.	49 in.	6 in.

* Product installation must adhere strictly to instructions accompanying product to avoid risk of fire and potential injury



Dynasty Fireplaces
+1 877-521-1009
support@dynastyfireplaces.com | dynastyfireplaces.com




Tempo 63" Electric Fireplace

Specifications Sheet & Framing Information



MODEL	Length	Height	Depth	Viewing Area	BTU	Cord Length
DY-FVX63	1587 mm	514 mm	165 mm	1505 mm x 381 mm	5000	2000 mm
	62 ½ in.	20 ¼ in.	6 ½ in.	59 ¼ in. x 15 in.		72 in.



MODEL	A	B	C	D	E	F	G	H	I
DY-FVX63	1505 mm	1587 mm	1512 mm	381 mm	514 mm	480 mm	152 mm	165 mm	13 mm
	59 ¼ in.	62 ½ in.	59 ½ in.	15 in.	20 ¼ in.	19 in.	6 in.	6 ½ in.	½ in.

Electrical Specifications


MODEL	Circuit	Max Power Consumption	Flame & Lighting	Standby	Outlet	Certification
DY-FVX63	15A, 120V / 60Hz	1500 W	55 W	2 W	- Standard (type B) - Hardwire ready	CSA

Tempo 63" Electric Fireplace


Specifications Sheet & Framing Information



CLEARANCES



FRAMING



FRAMING DIMENSION		
X	Y	DEPTH
489 mm	1518 mm	152 mm
19 ¼ in.	59 ¾ in.	6 in.

* Product installation must adhere strictly to instructions accompanying product to avoid risk of fire and potential injury



Dynasty Fireplaces
+1 877-521-1009
support@dynastyfireplaces.com | dynastyfireplaces.com




Tempo 76" Electric Fireplace

Specifications Sheet & Framing Information



MODEL	Length	Height	Depth	Viewing Area	BTU	Cord Length
DY-FVX76	1927 mm	514 mm	165 mm	1845 mm x 381 mm	5000	2000 mm
	75 ⁷ / ₈ in.	20 ¹ / ₄ in.	6 ¹ / ₂ in.	72 ⁵ / ₈ in. x 15 in.		72 in.



MODEL	A	B	C	D	E	F	G	H	I
DY-FVX76	1845 mm	1927 mm	1852 mm	381 mm	514 mm	480 mm	152 mm	165 mm	13 mm
	72 ⁵ / ₈ in.	75 ⁷ / ₈ in.	73 in.	15 in.	20 ¹ / ₄ in.	19 in.	6 in.	6 ¹ / ₂ in.	¹ / ₂ in.

Electrical Specifications


MODEL	Circuit	Max Power Consumption	Flame & Lighting	Standby	Outlet	Certification
DY-FVX76	15A, 120V / 60Hz	1500 W	89 W	2 W	- Standard (type B) - Hardwire ready	CSA

Tempo 76" Electric Fireplace


Specifications Sheet & Framing Information



CLEARANCES



FRAMING



FRAMING DIMENSION		
X	Y	DEPTH
489 mm	1861 mm	152 mm
19 ¼ in.	73 ¼ in.	6 in.

* Product installation must adhere strictly to instructions accompanying product to avoid risk of fire and potential injury



Dynasty Fireplaces
+1 877-521-1009
support@dynastyfireplaces.com | dynastyfireplaces.com




Tempo 100" Electric Fireplace

Specifications Sheet & Framing Information



MODEL	Length	Height	Depth	Viewing Area	BTU	Cord Length
DY-FVX100	2542 mm	514 mm	165 mm	2460 mm x 381 mm	5000	2000 mm
	96 7/8 in.	20 1/4 in.	6 1/2 in.	96 7/8 in. x 15 in.		72 in.



MODEL	A	B	C	D	E	F	G	H	I
DY-FVX100	2460 mm	2542 mm	2467 mm	381 mm	514 mm	480 mm	152 mm	165 mm	13 mm
	96 7/8 in.	100 in.	97 1/8 in.	15 in.	20 1/4 in.	19 in.	6 in.	6 1/2 in.	1/2 in.

Electrical Specifications


MODEL	Circuit	Max Power Consumption	Flame & Lighting	Standby	Outlet	Certification
DY-FVX100	15A, 120V / 60Hz	1500 W	133.3 W	2 W	- Standard (type B) - Hardwire ready	CSA

Tempo 100" Electric Fireplace


Specifications Sheet & Framing Information



CLEARANCES



FRAMING



FRAMING DIMENSION		
X	Y	DEPTH
489 mm	1861 mm	152 mm
19 ¼ in.	97 ¾ in.	6 in.

* Product installation must adhere strictly to instructions accompanying product to avoid risk of fire and potential injury



Dynasty Fireplaces
+1 877-521-1009
support@dynastyfireplaces.com | dynastyfireplaces.com

