Boulevard 60-inch Direct-Vent Linear Fireplace **DVLL60BP**





INCLUDES

- Multi-Function Remote
- Ceramic Glass
- Dimmer Light below floor
- Barrier Screen
- · Noncombustible Board for tops/sides

REQUIRES

- · Decorative Crushed Glass (7 boxes)
- Liner

ACTUAL DIMENSIONS

73" W x 36 5/16" H x 18 5/8" D

GLASS VIEWING AREA

60" W x 15" H


TECHNICAL INFORMATION


- Maximum heat output: 42,500 BTU (LP), 46,000 BTU (Nat)
- 70.73% A. F. U. E.
- · 72.60% P4
- · Weight: 360 lbs.
- Clearances
 Side Wall: 3"
 Top Stand-Off Bracket: 0"
 Top Framing Edge: 13"
- Type of Gas: LP or Natural
- Iron Pipe Size: 1/2-inch
- Ignition Systems: Multi-Function


FIELD INSTALLED ACCESSORIES

- · Logs: 7-piece log set, 11 rocks, 5 SS Coils
- Liners: Black Porcelain, Bronze Ridgeback
- Decorative Fronts:
 - Forged Iron Covers fireplae face Front - 1-inch conceals tile edges at the fireplace opening Brushed Nickel - Covers glass frame only
- Decorative Media:
 - Crushed Glass or 1/2-inch Droplets

DVLL60BP









計		1418	376
-	1413	311· 16	

Clearance to Combustibles			
Back	See Diagram Below		
Side	3"		
Floor	0"		
Top Stand-off	0"		
Top Framing Edge	13"		





Empire is committed to continuous product improvement; specifications are subject to change without notice. Dimensions in this brochure are approximate; read and follow the framing dimensions in the owners manual supplied with your Empire product. Flame size, shape, and color will vary from photos. Our mantels feature natural veneers and hand-rubbed finishes – wood grain and color will vary. Adjust light levels and use "natural light" incandescent bulbs to enhance the dramatic look for your wooden mantel.

Member of the following industry associations:









This appliance is design-certified to the ANSI standard by:







Empire Comfort Systems Inc. 918 Freeburg Ave. Belleville, IL 62220-2623 info@empirecomfort.com

Boulevard 72-inch Direct-Vent Linear Fireplace **DVLL72BP**





INCLUDES

- Multi-Function Remote to control burner and optional blower
- · Ceramic Glass
- Multicolor Programmable LED lighting under burner (with wall mount control)
- Barrier Screen
- Noncombusible Board for top and sides

REQUIRES

- Decorative Crushed Glass
- Liner

ACTUAL DIMENSIONS

85" W x 38 1/4" H x 19 1/2" D


TECHNICAL INFORMATION

- · Maximum heat output:
- 50,000 BTU (LP)
- 52,500 (Nat)
- · Weight: 483 lbs.
- Clearances
- -Side Wall: 3 inches
- -Top Trim: 0 inches
- Type of Gas: LP or Natural
- Iron Pipe Size: 1/2-inch
- Ignition Systems: Multi-Function IP Remote
- Vent Size: 5 x 8 inch


FIELD INSTALLED ACCESSORIES


- Optional Accessories
- Log Set: 7 Rustic Logs, 11 Driftwood Logs
- Blower
- Liners: Black Ceramic Glass, Ridgeback

DVLL72BP










Clearance to Combustibles (in inches)						
Back	See below					
Side	3					
Floor	0					
Top Stand-off	0	SEE MANTEL CHART FOR				
Top Framing Edge	23 3/8	MAXIMUM MANTEL DEPTH				
FINISHED WALL (COMBUSTIBLE) SEE MANTEL CHART FOR MINIMUM HEIGHT OF MANTEL ABOVE UNIT OPENING 23 3/8" (694mm) HEIGHT ABOVE TOP OF FIREPLACE NON-COMBUSTIBLE BOARD NON-COMBUSTIBLE BOARD NOTE: COMBUSTIBLE MATERIAL SALLOWED IN SHADED AREA						



Empire is committed to continuous product improvement; specifications are subject to change without notice. Dimensions in this brochure are approximate; read and follow the framing dimensions in the owners manual supplied with your Empire product. Flame size, shape, and color will vary from photos. Our mantels feature natural veneers and hand-rubbed finishes – wood grain and color will vary. Adjust light levels and use "natural light" incandescent bulbs to enhance the dramatic look for your wooden mantel.

Member of the following industry associations:









This appliance is design-certified to the ANSI standard by:







SINCE 1932
Empire Comfort Systems Inc.
918 Freeburg Ave.

918 Freeburg Ave. Belleville, IL 62220-2623 info@empirecomfort.com