

INSTALLATION INSTRUCTIONS

(SEE HOMEOWNER MANUAL FOR OPERATING INSTRUCTIONS)

INSTALLER:

Leave this manual with the appliance.

CONSUMER:

Retain this manual for future reference.

A WARNING

FIRE OR EXPLOSION HAZARD

Failure to follow safety warnings exactly could result in serious injury, death, or property damage.

- Do not store or use gasoline or other flammable vapors and liquids in the vicinity of this or any other appliance.
- WHAT TO DO IF YOU SMELL GAS
 - Do not try to light any appliance.
 - Do not touch any electrical switch; do not use any phone in your building.
 - · Leave the building immediately.
 - Immediately call your gas supplier from a neighbor's phone. Follow the gas supplier's instructions.
 - If you cannot reach your gas supplier, call the fire department.
- Installation and service must be performed by a qualified installer, service agency or the gas supplier.

LOG SET MODELS:



LS60LTF LS60LBF

FOR USE WITH DVCTL60 FIREPLACES



NOTICE: Ceramic logs may differ in appearance from those shown in this manual.

A WARNING

If not installed, operated and maintained in accordance with the manufacturer's instructions, this product could expose you to substances in fuel or from fuel combustion which can cause death or serious illness.



We suggest that our gas hearth products be installed and serviced by professionals who are certified in the U.S. by the National Fireplace Institute® (NFI) as NFI Gas Specialists.

EMBER CHUNK IDENTIFICATION

| LS60LTF SHOWN | FRONT | ТОР |
|------------------|-----------------|-----------------|
| R13362 | Ember Chunk (A) | Ember Chunk (A) |
| R13363 | Ember Chunk (B) | Ember Chunk (B) |
| R13364 | Ember Chunk (C) | Ember Chunk (C) |
| R13365 | Ember Chunk (D) | Ember Chunk (D) |
| R13366 | Ember Chunk (E) | Ember Chunk (E) |
| R13367 | Ember Chunk (F) | Ember Chunk (F) |
| R13368 | Ember Chunk (G) | Ember Chunk (G) |

USE ONLY MANUFACTURER'S REPLACEMENT PARTS. USE OF ANY OTHER PARTS COULD CAUSE INJURY OR DEATH.

Attention: When ordering parts, it is very important that part number and description of part coincide.

Page 2 43962-0-1021

LOG IDENTIFICATION

| LS60LTF SHOWN | LS60LBF NOT SHOWN | FRONT | ТОР |
|------------------|----------------------|---------|---------|
| R13343 | R13350 | Log (A) | Log (A) |
| R13344 | R13352 | Log (B) | Log (B) |
| R13345 | R13353 | Log (C) | Log (C) |
| R13346 | R13354 | Log (D) | Log (D) |
| R13347 | R13355 | Log (E) | Log (E) |
| R13348 | R13356 | Log (F) | Log (F) |
| R13349 | R13357 | Log (G) | Log (G) |

USE ONLY MANUFACTURER'S REPLACEMENT PARTS. USE OF ANY OTHER PARTS COULD CAUSE INJURY OR DEATH.

Attention: When ordering parts, it is very important that part number and description of part coincide.

LOG AND EMBER PLACEMENT

NOTE: Install liners before logs. See separate Liner Installation manual for details.

A CAUTION

Do not handle these logs with your bare hands. Always wear gloves to prevent skin irritation from ceramic fibers. After handling the logs, wash your hands gently with soap and water to remove any trace of fibers.

Accessing the Interior of the Fireplace


See Homeowners Manual for instruction on how to remove the barrier screen and glass door.

Log Set Installation


The positioning of the logs is critical to the safe and clean operation of this fireplace. Sooting and other problems may result if the logs are not properly and firmly positioned in the fireplace. Please refer to (Figures 1 and 2) and the following WARNING when completing log placement instructions. For step by step log placement instructions, (See Pages 6 - 22).

A WARNING

Failure to position the parts in accordance with this diagram or failure to use only parts specifically approved with this fireplace may result in property damage or personal injury.



Ember Installation - Figure 1



Log Set Installation - Figure 2

Page 4 43962-0-1021

LOG AND EMBER PLACEMENT (CONT'D)

Burner Pin Location


Bend burner pins (14) to 90° with flat screw driver.

Rockwool Support Placement


 Place Rockwool Supports in place as shown in Figure 4. NOTICE: Rockwool Supports are shipped with unit.

Glowing Embers Information


- 1. Carefully separate the ember material into small amounts (no larger than "dime-size" pieces).
 - a. Fluffed up pieces of ember material one layer thick will produce the best ember glow. Do not place more than one layer of ember material onto the burner. Excess ember material will decrease the ember glow effect.
 - Save any remaining ember material for future applications (as needed).



Burner Pin Location - Figure 3




Rockwool Support Placement - Figure 4




Glowing Embers Information - Figure 5

Video of log installation available on our website at: www.empirecomfort.com.

1. Place Ember Chunk (A), Outer-Left, onto burner base located by 2 pins.




TOP




FRONT

Page 6 43962-0-1021

2. Place **Ember Chunk (B)**, Outer-Right, onto burner base located by 2 pins.



TOP




FRONT

3. Place **Ember Chunk (C)**, Rear-Right, onto burner base located by 2 pins.



TOP




FRONT

Page 8 43962-0-1021

4. Place **Ember Chunk (D)**, Rear-Center, onto burner base located by 2 pins.




TOP




FRONT

5. Place **Ember Chunk (E)**, Rear-Left, onto burner base located by 2 pins.




TOP




FRONT

Page 10 43962-0-1021

6. Place **Ember Chunk (F)**, Front-Right, onto burner base in front of Front Burner. This Ember Chunk is not located by pins, it is nested into **Ember Chunk (B)**.




TOP




FRONT

7. Place **Ember Chunk (G)**, Front-Left, on burner base in front of Front Burner. This Ember Chunk is not located by pins, it is nested between **Ember Chunk (A) and (F)**.




TOP




FRONT

Page 12 43962-0-1021

8. After Ember Chunks (A) through (G) have been placed, Ember Chunk placement is complete.




TOP



FRONT

9. Place Log (A), Rear-Right, onto Ember Chunk (C) and (D) located by 2 pins.







FRONT

Page 14 43962-0-1021


10. Place Log (B), Middle-Right, onto burner base located by 2 pins.






FRONT

11. Place **Log (C)**, Middle-Left, onto burner base and on middle upright burner tube (ensure upright burner tube is between pin and groove of underside of **Log (C)**) located by 2 pins.





FRONT

Page 16 43962-0-1021

ROCKWOOL PLACEMENT

12. Place rockwool on front and rear burners (do not place rockwool on upright burner tubes).





TOP



FRONT

13. Place **Log (D)**, Far-Right, onto **Ember Chunk (B)** and right upright burner tube (ensure upright burner tube is in groove of underside of log) located by 1 pin.






FRONT

Page 18 43962-0-1021

14. Place **Log (E)**, Far-Left, onto **Ember Chunk (A)** and left upright burner tube (ensure upright burner tube is in groove of underside of log) located by 1 pin.



TOP




FRONT

15. Place Log (F), Rear-Left, onto Ember Chunk (E) and Log (C) located by 1 pin.



TOP




FRONT

Page 20 43962-0-1021

16. Place Log (G) , Rear-Center, onto Ember Chunk (D) and Log (F) located by 1 pin.



TOP



FRONT

17. After Logs (A) through (G) have been placed, log placement is complete.



TOP



FRONT

Page 22 43962-0-1021

MASTER PARTS DISTRIBUTOR LIST

To Order Parts Under Warranty, please contact your local Empire dealer. See the dealer locator at www.empirecomfort. com. To provide warranty service, your dealer will need your name and address, purchase date and serial number, and the nature of the problem with the unit.

To Order Parts After the Warranty Period, please contact your dealer or one of the Master Parts Distributors listed below. This list changes from time to time. For the current list, please click on the Master Parts button at www.empirecomfort.com.

Please note: Master Parts Distributors are independent businesses that stock the most commonly ordered Original Equipment repair parts for Heaters, Grills, and Fireplaces manufactured by Empire Comfort Systems Inc.

Dey Distributing

1401 Willow Lake Boulevard Vadnais Heights, MN 55101

Phone: 651-490-9191 **Toll Free:** 800-397-1339

Website: www.deydistributing.com Parts: Heater, Hearth and Grills

F. W. Webb Company

200 Locust Street Hartford, CT 06114

Phone: 860-722-2433 Toll Free: 800-243-9360 Fax: 860-293-0479

Toll Free Fax: 800-274-2004 Website: www.fwwebb.com Parts: Heater, Hearth and Grills

East Coast Energy Products

10 East Route 36 West Long Branch, NJ 07764

Phone: 732-870-8809 Toll Free: 800-755-8809 Fax: 732-870-8811

Website: www.eastcoastenergy.com Parts: Heater, Hearth and Grills

HOW TO ORDER REPAIR PARTS

Parts Not Under Warranty

Parts can be ordered through your Service Person, Dealer, or a Master Parts Distributor. See this page for the Master Parts Distributors list. For best results, the **service person or dealer** should order parts through the distributor. Parts can be shipped directly to the **service person/dealer**.

Warranty Parts

Warranty parts will need a proof of purchase and can be ordered by your Service Person or Dealer. Proof of purchase is **required** for warranty parts.

All parts listed in the Parts List have a Part Number. When ordering parts, first obtain the Model Number and Serial Number from the name plate on your equipment. Then determine the Part Number (**not** the Index Number) and the Description of each part from the following illustration and part list. Be sure to give all this information . . .

| Appliance Model Number | _Part Description |
|----------------------------------|-------------------|
| Appliance Serial Number | _Part Number |
| Type of Gas (Propane or Natural) | |

Do not order bolts, screws, washers or nuts. They are standard hardware items and can be purchased at any local hardware store.

Shipments contingent upon strikes, fires and all causes beyond our control.

IMPORTANT

THANK YOU for purchasing this log set!

We take pride in building high-quality systems with realistic hand-painted logs and natural looking flame. Immediately after installation, check for proper position of the log set, embers kit, and rock wool (if equipped).

- Are the glowing embers (rock wool pieces) evenly distributed and positioned over the correct ports?
- Is the flame lively and natural looking?
- Are the logs clean looking and out of the direct path of the flickering flames?

To help ensure years of trouble-free service, please check your log set again after using it for two weeks, and shortly after each start of each heating season thereafter. If you notice any of the following, call your dealer or installer.

- Weak flames
- · Uneven distribution of glowing embers
- · Build up of ash or soot on logs

NOTE: These logs are designed to fit together one way. Do not reposition the logs or add log pieces. Doing so will affect the flame pattern and may cause improper burning.



Empire Comfort Systems Inc. Belleville, IL

If you have a general question about our products, please e-mail us at info@empirecomfort.com.

If you have a service or repair question, please contact your dealer.

SINCE 1932

www.empirecomfort.com

Page 24 43962-0-1021