






Part Number	LDB24L-EN LDB24L-EP
Series	Bedrock Burner




Volts	AC 120V/60Hz	
Lamps	LED 5V RGB	
	IR Remote Control	
	Wifi App capable	
Proflame II system	5 levels of Flame Intensity	
	Remote Ignition	
	Vented	
Max. Heat	45,000 BTU/hr	13.17kW
Low Heat (NG)	30,000 BTU/hr	8.75kW
Low Heat (LP)	20,000 BTU/hr	5.85kW

Part Number	LDB36L-EN LDB36L-EP
Series	Bedrock Burner




Volts	AC 120V/60Hz	
Lamps	LED 5V RGB	
	IR Remote Control	
	Wifi App capable	
Proflame II system	5 levels of Flame Intensity	
	Remote Ignition	
	Vented	
Max. Heat	60,000 BTU/hr	17.56kW
Low Heat (NG)	40,000 BTU/hr	11.71kW
Low Heat (LP)	30,000 BTU/hr	8.78kW


Part Number	LDB48L-EN LDB48L-EP
Series	Bedrock Burner



Part Number	LDB72L-EN LDB72L-EP
Series	Bedrock Burner



Part Number	LDB84L-EN LDB84L-EP
Series	Bedrock Burner



Part Number	LDB96L-EN LDB96L-EP
Series	Bedrock Burner